

--

SMEG 800\*480 7inch Peugeot Rear view Camera Interface

--

Notice:

\* Keep flameout before installation

\* Make sure interface match with your car model

--

Installation process:

1. Tear apart panel above Gear box, be aware of screws marked on the picture





2. Tear apart LCD panel, and take out of Panel of center console



support@car-solutions.com

## 3. Take out of Main unit



4. Plug out of Quadlock connector, and connect it to Interface cable accordingly.



5. Interface LVDS, from Interface box to Factory LVDS postion



6. Factory LVDS, from main unit to Interface box



7. Connect camera to camera inputs harness, and finish installation.



--

|         | Suitable véhicules | years     | car main unit system |
|---------|--------------------|-----------|----------------------|
|         | 208                | All       |                      |
| Peugeot | 2008               | All       | 0                    |
| -       | 308                | from 2013 |                      |
|         | 508                | from 2014 |                      |
|         | C4                 | from 2015 | SMEG & SMEG +        |
|         | Cactus             | All       | 800*480 - 7"         |
| Citroën | C4L                | All       |                      |
|         | C5                 | from 2015 |                      |
|         | Picasso II         | from 2013 |                      |
|         | DS4                | from 2015 |                      |
|         | DS5                | from 2015 |                      |
| -0      |                    |           |                      |